

Windsor

Full grain leather with two tone coloration. The visual effect is applied by local artisans using a traditional hand wiping method combined with a secondary finish applied mechanically. Only a superior selection of New Zealand cattle hides are used for Windsor. Luxurious soft hand and smooth supple surface make this leather the perfect choice for any classic or contemporary setting. A light top coat is applied to provide protection and makes this leather suitable for most residential, contract and hospitality environments.

REACH (EC 1907/2006) compliant production aims to improve the protection of human and environmental health. Processed using low emission mineral tanning formulas which are environmentally respectful, the hides are retanned in aged oak drums using vegetable agents, natural fat liquors, oils and dyes that ensure the leather is properly through dyed. Natural color variations may occur even within the same dye lot.

Application: Aviation*, Contract, Hospitality, Residential

Raw Material: European and New Zealand

Hide Size: Average 48 sqft

Thickness: 0.9 to 1.0 mm

Wet Rub Test: (Nr 150): IUF 450 / UNI EN ISO 11640: ≥ 4 grey scale

Dry Rub Test: (Nr 500): IUF 450 / UNI EN ISO 11640: ≥ 4 grey scale

Abrasion: (ASTM D 3884-92) 500 gram load: 1500 cycles

Abrasion: Wyzenbeek (ASTM D4157) 100,000 Rubs

Alkaline ph 8: IUF 450 / UNI EN ISO 11640: ≥ 4 grey scale

Flexing Endurance: IUP 20: $\geq 30,000$

Tear strength: IUP 40 / UNI EN ISO 3377-I: ≥ 20 N

Adhesion: IUF 470 / UNI EN ISO 11644: ≥ 3.50 N/cm

Water Repellency: AATCC 22-2010: 93

Light resistance (Xenon Test): IUF 402 / UNI EN ISO 105-B02: 5 blue scale

Flammability Resistance: UFAC Class 1, CAL TB 117-2013, NFPA 260

Soil/Stain Release: AATCC 130-2015: Grade 5 represents best stain removal (immediate). Nail polish remover (5), Betadine (5), Bleach (5), Urine (5), Blood (5). Fluid Resistance: Red wine (5), Beer (5), Whiskey (4.5), Cola (5), Coffee (4.5), Red Bull (5) Mayonnaise (5), Olive Oil (5), Catsup (5), Vegetable oil (5), Chocolate (melted) (5), Lipstick (3.5), Lysol (5), Formula 409 (5), Windex (5). Test procedure modified to clean stains with 1 part household bleach/10 parts water solution.

Bleach Cleanable: BIFMA Health Care Furniture 8.1-2017 Section 7: Household bleach (sodium hypochlorite). CDC/EPA recommended ratios (1:48) parts bleach to water for the sanitizing and disinfecting of viruses and bacteria. Reference CDC/EPA and product specifications for approved dilution ratio and cleaning agent instructions for dwell time.

Origin: Italy

*May be treated to meet Federal Aviation Regulations for Flammability Resistance.

greenhides.com

T: 336.315.9720 F: 336.315.9738

UNI EN ISO 9001:2015



SISTEMA DI GESTIONE
QUALITÀ CERTIFICATO