

Bleach Cleanable Leather Care & Maintenance for Sanitization and Disinfecting

Leathers approved for 1:10 ratio (1 part bleach to 10 parts water): Sierra, Fabian, Vulcano, Supersonic

Leathers approved for 1:48 ratio (1 part bleach to 48 parts water): Lena, Windsor, Aeronautica

Bleach Cleanability: BIFMA Health Care Furniture 8.1-2017 Section 7: Household bleach (sodium hypochlorite). CDC/EPA recommended ratios (1:10 or 1:48) parts bleach to water for the sanitizing and disinfecting of viruses and bacteria. Reference CDC/EPA and product specifications for approved dilution ratio and cleaning agent instructions for dwell time.

Cleaning Instructions:

- Step 1: Use CDC/EPA recommended solution per leather product specifications. Gently apply (wipe) using a soft clean cloth (do not aggressively scrub). Do not saturate.
- Step 2: Allow solution to remain on surface according to recommended cleaning agent label dwell time.
- Step 3: Gently wipe off cleaning mixture residue using a clean damp cloth to prevent fading and long term damage to the leather. It is important to remove cleaning agent residue as it may continue to degrade surfaces and shorten the life and/or affect the appearance of the surface material.

Long Term Maintenance:

- Monthly: Apply Leather Protector to restore the leathers protective barrier.
- Quarterly: Apply Leather Softener to re-nourish the leathers moisture and softness.

Recommended cleaning products are available through Leather Solutions Intl at www.leathersi.com.

DO NOT USE ANY CLEANING PRODUCTS CONTAINING ALCOHOL

References:

CDC Guidelines for Disinfection and Sterilization in Healthcare Facilities (recommended ratio 1:10).
<https://www.cdc.gov/infectioncontrol/guidelines/disinfection/index.html>

CDC Reopening Guidance for cleaning and disinfecting Public Spaces, Workplaces, Businesses, Schools and Homes (recommended ratio 1:48).
<https://www.cdc.gov/coronavirus/2019-ncov/community/reopen-guidance.html>

CDC Cleaning and Disinfecting Your Facility (recommended ratio 1:48).
<https://www.cdc.gov/coronavirus/2019-ncov/community/disinfecting-building-facility.html>

greenhides.com

T: 336.315.9720 F: 336.315.9738